

AMENDED

Nº 44079

APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office..... JUN 29 1981
Returned to applicant for correction..... SEP 8 1981
Corrected application filed..... SEP 14 1981
Map filed..... SEP 14 1981

The applicant Sharon Harris and Cheryl Sherwood
1780 Dori Way, of
Street and No. or P.O. Box No. City or Town
Carson City, Nev.-89701, hereby make application for permission to appropriate the public
State and Zip Code No.
waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorpora-
tion; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is underground
Name of stream, lake or other source.
2. The amount of water applied for is 1.0 second-feet
One second-foot equals 448.83 gals. per min.
(a) If stored in reservoir give number of acre-feet..... acre-feet
3. The water to be used for commercial & domestic
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.
4. If use is for:
(a) Irrigation (state number of acres to be irrigated).....
(b) Stockwater (state number and kinds of animals to be watered).....
(c) Other use (describe fully under "No. 12. Remarks").....
(d) Power:
(1) Horsepower developed.....
(2) Point of return of water to stream.....
5. The water is to be diverted from its source at the following point: NE1/4 SE1/4 Sec 28 T17N,
R22E MDB&M or at a point from which the SE corner of said Section
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,
28 bears S7°27'18"E 1779.47 feet
it should be stated.
6. Place of use portions of the NE1/4 SE1/4 Sec 28, T.17N, R22E MDB&M
Describe by legal subdivision, if on unsurveyed land it should be so stated.
7. Use will begin about Jan 1 and end about Dec 31, of each year.
Month and Day Month and Day
8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) well, pump & distribution system
State manner in which water is to be diverted, i.e. diversion structure, ditches and flumes, drilled well with pump and motor, etc.

9. Estimated cost of works..... 5000.00
10. Estimated time required to construct works..... 1 year
If well completed, describe works.
11. Estimated time required to complete the application to beneficial use..... 2 years

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

bar, 8 unit motel & laundromat

350 GPD + 800 GPD + 1200 GPD = 2350 GPD

x 7 days/week x 52 weeks/year

By s/Cheryl Sherwood

Signature applicant or agent

1780 Dorf Way

Carson City, Nev.- 89701

Compared bl/ dh

bt/bc

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed..... 0.04..... cubic feet per second, but not to exceed.....

0.858 million gallons annually.

Actual construction work shall begin on or before..... N/A

Proof of commencement of work shall be filed before..... N/A

Work must be prosecuted with reasonable diligence and be completed on or before..... January 21, 1983

Proof of completion of work shall be filed before..... February 21, 1983

Application of water to beneficial use shall be made on or before..... January 21, 1986

Proof of the application of water to beneficial use shall be filed on or before..... February 21, 1986

Map in support of proof of beneficial use shall be filed on or before.....

Commencement of work filed.....

Completion of work filed..... MAR 1 1983

Proof of beneficial use filed..... MAR 20 1991

Cultural map filed.....

Certificate No. 13031 Issued SEP 24 1991

IN TESTIMONY WHEREOF, I..... PETER G. MORROS
State Engineer of Nevada, have hereunto set my hand and the seal of
my office, this 21st day of JANUARY

A.D. 19 82

State Engineer